

DATE: May 3, 2005  
MANUFACTURER'S NAME: Walter G Legge Co., Inc.  
STREET ADDRESS: 444 Central Ave Peekskill, NY 10566-2003  
EMERGENCY TELEPHONE: CHEMTREC 800-424-9300  
INFORMATION NUMBER: 914-737-5040  
TRADE NAME: LEGGE-ACY 1801  
DOT SHIPPING NAME: POLISHING COMPOUND  
DOT HAZARD CLASS: NOT REGULATED

\*\*\*\*\*  
SECTION II - HAZARDOUS INGREDIENTS  
\*\*\*\*\*  
CAS NUMBER\*      CHEMICAL NAME      \*OSHA PEL      \*ACGIH TLV\*  
\*\*\*\*\*

NO HAZARDOUS INGREDIENTS

\*\*\*\*\*  
SECTION III - PHYSICAL DATA  
\*\*\*\*\*  
BOILING POINT: 212 DEGREES F      VAPOR DENSITY: Lighter than  
air  
EVAPORATION RATE: SLOWER THAN ETHER      VAPOR PRESSURE: NE  
WEIGHT PER GALLON: 8.3      SPECIFIC GRAVITY: 1.008  
SOLUBILITY IN WATER: COMPLETE      APPEARANCE: MILKY  
WHITE  
LIQUID VOLATILES VOLUME: 80-82%      ODOR:  
ACRYLIC

\*\*\*\*\*  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA  
\*\*\*\*\*  
FLASH POINT: NONCOMBUSTIBLE  
EXTINGUISHING MEDIA: NONE REQUIRED  
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE  
SPECIAL FIRE FIGHTING PROCEDURES: Water may be used to cool down  
unopened containers in vicinity. Fire fighters should wear OSHA  
approved self-contained breathing apparatus and full protective  
clothing.

\*\*\*\*\*  
SECTION V - HEALTH HAZARD DATA  
\*\*\*\*\*  
EFFECTS OF OVEREXPOSURE:  
ACUTE: Irritation of eyes and skin may occur with overexposure.  
Continued breathing of vapors may irritate respiratory tract  
causing headache, nausea and dizziness.  
CHRONIC: Unknown  
EMERGENCY FIRST AID PROCEDURES:  
INHALATION: Remove to fresh air. Restore respiration if necessary.  
Treat symptomatically.  
EYE CONTACT: Flush immediately with copious quantities of water for

15 minutes minimum. Consult a physician.  
DERMAL CONTACT: Wash affected areas with soap and water. Remove contaminated clothing. Wash clothing before use. Consult physician if irritation persists.  
INGESTION: Drink 1 or 2 glasses of water to dilute. DO NOT INDUCE VOMITING. If spontaneous vomiting occurs keep head at or below knee level to prevent aspiration into lungs. Consult physician.  
PRIMARY ROUTES OF ENTRY: Inhalation and dermal contact. AVOID CONTAMINATION OF FOOD

\*\*\*\*\*  
SECTION VI - REACTIVITY DATA

\*\*\*\*\*  
STABILITY: Stable           CONDITIONS TO AVOID: Protect from freezing.  
INCOMPATIBILITY (Materials to avoid): Any material that reacts with water.  
HAZARDOUS DECOMPOSITION PRODUCTS: None known.  
HAZARDOUS POLYMERIZATION: Will not occur.

\*\*\*\*\*  
SECTION VII - SPILL AND LEAK PROCEDURES

\*\*\*\*\*  
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:  
Eliminate all ignition sources. Wear appropriate personal protection equipment and approved respirator. Contain spill with absorbent material and put into vapor tight containers. Prevent material from contacting any water sources or sewers leading to surface waters.  
WASTE DISPOSAL: Dispose of in accordance with Federal, State, and local regulations.

\*\*\*\*\*  
SECTION VIII - SPECIAL PROTECTION INFORMATION

\*\*\*\*\*  
RESPIRATORY PROTECTION: In outdoor, open areas or where adequate ventilation exists none is required. In restricted ventilation areas use NIOSH/OSHA approved organic vapor cartridge type respirator designed to remove a combination of particles and vapor.  
VENTILATION: In confined spaces mechanical ventilation is required to keep the air contaminant concentration below current applicable OSHA permissible exposure units.  
PROTECTIVE GLOVES: Impervious type required for long or repeated exposure.  
PROTECTIVE FOOTWEAR: Water proof boots are recommended for long or repeated use.  
EYE PROTECTION: Use safety eye wear to protect against splash of concentrated liquids.  
OTHER PROTECTIVE EQUIPMENT: Prevent prolonged skin contact with contaminated clothing.  
HYGIENIC PRACTICES: Wash hands before eating, smoking or using washroom facilities.

\*\*\*\*\*

SECTION IX - SPECIAL PRECAUTIONS

\*\*\*\*\*

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP OUT OF REACH OF CHILDREN. Store in closed containers in compliance with good housekeeping procedures. Protect from freezing, and extreme heat. Store at temperatures above 45°F.

OTHER PRECAUTIONS: Safety showers and eyewashes should be available. Train employees of safe use of this product and proper hygienic practices. To the best of our knowledge, the information contained herein is accurate. However, Walter G LEGGE Co., Inc. assumes no liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.