

DATE: May 3, 2005
MANUFACTURER'S NAME: Walter G Legge Co., Inc.
STREET ADDRESS: 444 Central Ave Peekskill, NY 10566-2003
EMERGENCY TELEPHONE: CHEMTREC 800-424-9300
INFORMATION NUMBER: 914-737-5040
TRADE NAME: STAT-LES 24%
DOT SHIPPING NAME: POLISHING COMPOUND
DOT HAZARD CLASS: NOT REGULATED

SECTION II - INGREDIENTS

Vapor Pr.

CAS NUMBER* CHEMICAL NAME *OSHA PEL*ACGIH TLV*% BY WT* mm Hg.

NO REPORTABLE HAZARDOUS INGREDIENTS

* * * * *

SECTION III - PHYSICAL DATA

BOILING POINT: 212 DEGREES F VAPOR DENSITY: Lighter than air
EVAPORATION RATE: SLOWER THAN ETHER VAPOR PRESSURE: NE
WEIGHT PER GALLON: 8.51 SPECIFIC GRAVITY: 1.02
SOLUBILITY IN WATER: COMPLETE APPEARANCE: MILKY WHITE LIQ
VOLATILES VOLUME: 75-77% ODOR: ACRYLIC

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NONCOMBUSTIBLE
EXTINGUISHING MEDIA: NONE REQUIRED
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE
SPECIAL FIRE FIGHTING PROCEDURES: Water may be used to cool down unopened containers in vicinity. Fire fighters should wear OSHA approved self-contained breathing apparatus and full protective clothing.

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE: ACUTE: Irritation of eyes and skin may occur with overexposure. Continued breathing of vapors may irritate respiratory tract causing headache, nausea and dizziness.

CHRONIC: None known

EMERGENCY FIRST AID PROCEDURES: INHALATION: Remove to fresh air. Restore respiration if necessary. Treat symptomatically.

EYE CONTACT: Flush immediately with copious quantities of water for 15 minutes minimum. Consult a physician.

DERMAL CONTACT: Wash affected areas with soap and water. Remove contaminated clothing. Wash clothing before reuse. Consult physician if irritation persists.

INGESTION: Drink 1 or 2 glasses of water to dilute. DO NOT INDUCE VOMITING. If spontaneous vomiting occurs keep head at or below knee level to prevent aspiration into lungs. Consult physician.

PRIMARY ROUTES OF ENTRY: Inhalation and dermal contact.

AVOID CONTAMINATION OF FOOD

contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.